

Excellence Needs No Recognition
But Recognition Comes Only When You are Excellent



**Complete Solution of
Plumbing, Drainage &
Water Management
Under One Roof..**



PARAS[®]
A Touch of Excellence

About **PARAS GROUP**

A dynamic, professional & progressive group established in 1967 & having a legacy of more than 52 years. The group believes in empowering & delegating to scale new heights. It has a presence throughout India with a strong, dedicated & loyal chain of distributors & dealers. It is managed by a team rich with 3 generations - experienced as well as flexible & open to modern technology & management skills.

We believe in offering solutions under one roof with continued focus on customer & proactive initiatives. We believe in long term healthy & mutually beneficial association with all business associates and a open, transparent & conducive working environment for all.

Expansion, Diversification, Upgradation is an ongoing process focused at optimum utilisation of resources, generating & conserving power and striving to be the first choice to the customers.



CASING PIPES

STANDARDS & SPECIFICATIONS

IS 12818 : 2010 - Specification for
uPVC Screen & Casing Pipes for
Bore / Tubewell

MATERIAL

uPVC Compound Meet the
requirements of IS : 10148

SIZES

Casing Medium (CM) - 35mm to 200mm

Casing Shallow (CS) - 150mm to 200mm

Medium Well Screen (RMS) - 100mm to 200mm

LENGTH - 3 m & 6 m

COLOUR

Pipe Colour : Blue



NOMINAL DIAMETER			CASING PIPES	
Size (mm)	Size (inch)	Outside Diameter (mm)	MEDIUM CASING (CM)	SHALLOW CASING (CS)
			Wall Thickness (mm)	Wall Thickness (mm)
40	1½	48	3.5	-
50	2	60	4.0	-
80	3	88	4.0	-
100	4	113	5.0	-
125	5	140	6.5	-
150	6	165	7.5	5.7
175	7	200	8.8	7.0
200	8"	225	10.0	-

PARAS SCREEN (RIBBED) PIPES AS PER IS : 12818- 1992

Size (mm)	Size (inch)	Price Per m in Rs.
40	1½	
50	2	
80	3	
100	4	

Note :

- 1) CM (Medium Casing) Pipes suitable for wells with depths above 80 meters & upto 250 meters.
CS (Shallow Casing) Pipes suitable for wells with depths upto 80 meters.
- 2) (A) Casing Pipes will be supplied in standard length of :
6 Meters upto 80mm (3") Dia
5 Meters upto 200mm (8") Dia
(B) Casing can also be supplied in different lengths as per customer's requirements on special terms and prices.